This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/812,304	03/19/2001	Thomas H. Hampton	03516P007	03516P007 2247	
7590 08/10/2004			EXAMINER		
W. Scott Petty			KIANERSI, MITRA		
KING & SPAL	DING LLP		·		
191 Peachtree S	Street, 45th Floor	ART UNIT	PAPER NUMBER		
Atlanta, GA	30303-1763	2143	2143		
			DATE MAIL ED: 08/10/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.



				- I - I - I - I - I - I - I - I - I - I		
Office Action Summary		Application	ı No.	Applicant(s)		
		09/812,304	ł	HAMPTON, THOMAS H.		
		Examiner		Art Unit		
		mitra kiane		2143		
Period f	The MAILING DATE of this communicat or Reply	tion appears on the	cover sheet with the	correspondence address		
THE - External after - If th - If NO - Fail Any	MORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA ensions of time may be available under the provisions of 3 or SIX (6) MONTHS from the mailing date of this communic e period for reply specified above is less than thirty (30) de to period for reply is specified above, the maximum stature to reply within the set or extended period for reply will, reply received by the Office later than three months after that the provided patent term adjustment. See 37 CFR 1.704(b).	TION. 7 CFR 1.136(a). In no even cation. ays, a reply within the statutery period will apply and will by statute, cause the applic	t, however, may a reply be ory minimum of thirty (30) d expire SIX (6) MONTHS fro ation to become ABANDON	timely filed ays will be considered timely. m the mailing date of this communication. NED (35 U.S.C. § 133).		
Status						
1)[\]	Responsive to communication(s) filed of	on 19 March 2001.				
2a)□						
3)						
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	tion of Claims					
5)	Claim(s) 1-21 is/are pending in the app 4a) Of the above claim(s) is/are v Claim(s) is/are allowed. Claim(s) 1-21 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction tion Papers The specification is objected to by the E The drawing(s) filed on 19 March 2001 is Applicant may not request that any objectio Replacement drawing sheet(s) including the	withdrawn from consinguation red ixaminer. is/are: a)⊠ acceptor to the drawing(s) be	quirement. ed or b)⊡ objected held in abeyance. S	ee 37 CFR 1.85(a).		
11)	The oath or declaration is objected to by	·				
Priority	under 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for D All b) Some * c) None of: 1. Certified copies of the priority doc 2. Certified copies of the priority doc 3. Copies of the certified copies of the application from the International See the attached detailed Office action for	cuments have been cuments have been the priority documer Bureau (PCT Rule	received. received in Applicants have been recei 17.2(a)).	ation No ved in this National Stage		
Attachme	· '					
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-	-948)	4) Interview Summa Paper No(s)/Mail			
3) 🛛 Info	ce of Draftsperson's Patent Drawing Review (P10- rmation Disclosure Statement(s) (PTO-1449 or PT0 er No(s)/Mail Date <u>06/16/2003</u> .	O/SB/08)		Patent Application (PTO-152)		

Application/Control Number: 09/812,304

Art Unit: 2143

Claims 1-21 have been examined.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-21 are rejected under 35 U.S.C. 102(e) as being anticipated by Anderson et al. (US 2004/0078490).

1. As per claim 1, a method comprising: receiving a plurality of mapping requests from a plurality of network users identified by a plurality of network addresses; deriving a geographic location of a network user associated with a network address based on the plurality of network addresses and the plurality of mapping requests. (most network addresses (e.g., IP addresses) are associated with a particular geographic location. This is because routers that receive packets for a particular set of machines are fixed in location and have a fixed set of network addresses for which they receive packets. The machines that routers receive packets for tend to be geographically proximal to the routers. Roaming Internet-Ready devices are rare exceptions. For certain contexts, it is important to know the location of a particular network address. Mapping a particular network address to a geographic location may be termed "geolocation". An exemplary system and methodology by which geographic locations can be derived for a specific network addresses, and for address blocks. are described below. Various methods of obtaining geographic information, combining such geographic information, and inferring a "block" to which a network address corresponds

and which shares the same geographic information are described, [0046]).

Application/Control Number: 09/812,304 Page 3

Art Unit: 2143

2. As per claims 2, 15 and 19, the method of claim 1 further comprising: receiving a request to provide the geographic location of the network user; providing the geographic location of the network user. (At block 40, a user (or process) enters a job request to the data collection broker 22 via, for example, a web interface. Job scheduling is also an option for the user. At block 42, the relevant data collection broker 22 accepts a request, and determines what data collection agents 18 will service the request. The data collection broker 22 also sets a unique session identifier (USID), [0064].

- 3. As per claims 3,16 and 20, the method of claim 2 further comprising: communicating geographically relevant information based on the geographic location. (The custom website is supported by the application server 6, which upon receiving an IP address associated with the user machine 2, communicates this IP address to the geolocation Application Program Interface (API) 7 hosted that the customer site. Responsive to receiving the IP address, the API 7 communicates the IP address to a delivery engine server 64 of the delivery engine system 16, [0051]).
- 4. As per claim 4, the method of claim 1 wherein the network user is identified by an Internet Protocol (IP) address. (The term "network address", for purposes of the present specification, shall be taken to include any address that identifies a networked entity, and shall include Internet Protocol (IP) addresses, [0045])
- 5. As per claims 5 and 11, the method of claim 1 wherein deriving the geographic location comprises: assigning a first set of network addresses to a first defined geographic region based on the predominance of the plurality of network addresses that

issued mapping requests included in the defined geographic region. (Based on the degree of similarity between the "best estimate" geographic location and its competing locations, different confidence factors are assigned for the geographic resolution levels,

Application/Control Number: 09/812,304

Art Unit: 2143

which are transformed by a confidence-accuracy translator (CAT) 126 into a probability of accuracy for the winning location. [0194])

Page 4

- 6. As per claim 6 and 12, the method of claim 1 wherein deriving the geographic location comprises: grouping those mapping requests sharing a common portion of the network address. Various methods of obtaining geographic information, combining such geographic information, and inferring a "block" to which a network address corresponds and which shares the same geographic information are described, [0046]).
- 7. As per claims 7, 17 and 21, the method of claim 1 wherein deriving comprises: determining a confidence factor for the geographic location. (FIG. 13 is a flowchart illustrating a method, according to an exemplary embodiment of the present invention, performed by a RegEx LDM to identify one or more geographic locations associated with network address and associated at least one confidence factor with each of the identified geographic locations, [0024]
- 8. As per claim 8, the method of claim 1 further comprising: communicating geographically relevant information based on the geographic location. Every candidate geographic location must pass through each relevant confidence map and has multiple confidence factors associated therewith combined, [0216]
- 9. As per claim 9, a method comprising:
 receiving a plurality of mapping requests from a plurality of internet users identified by a
 plurality of internet Protocol (IP) addresses;
 analyzing a correspondence between IP addresses and mapping requests to determine
 geographic locations of the Internet users. (most network addresses (e.g., IP
 addresses) are associated with a particular geographic location. This is because
 routers that receive packets for a particular set of machines are fixed in location and
 have a fixed set of network addresses for which they receive packets. The machines

Application/Control Number: 09/812,304 Page 5

Art Unit: 2143

that routers receive packets for tend to be geographically proximal to the routers. Roaming Internet-Ready devices are rare exceptions. For certain contexts, it is important to know the location of a particular network address. Mapping a particular network address to a geographic location may be termed "geolocation". An exemplary system and methodology by which geographic locations can be derived for a specific network addresses, and for address blocks, are described below. Various methods of obtaining geographic information, combining such geographic information, and inferring a "block" to which a network address corresponds and which shares the same geographic information are described, [0046]).

- 10. As per claim 10, the method of claim 9 further comprising:

 deriving a geographic location of an internet user based on the analyzing. (Obtaining a location: The unified mapping process 61 can be run on the test network address to derive a location and this location can be matched against the location of the subject network address. [0147])
- 11. As per claim 13, the method of claim 12 wherein the common portion comprises the first three bytes of an IP address. (another way of determining this outcome would be to view the relevant network as two 25-bit networks, rather than a single 24-bit network. [0174]).
- 12. As per claim 14, a machine readable medium having instructions stored thereon which when executed by a processor cause the processor to perform operations comprising: receiving a plurality of mapping requests from a plurality of network users identified by a plurality of network addresses; deriving a geographic location of a network user associated with a network address based on the plurality of network addresses and the plurality of mapping requests. (most network addresses (e.g., IP addresses) are associated with a particular geographic location. This is because routers that receive packets for a particular set of machines are fixed in location and have a fixed set of network addresses for which they receive packets. The machines that

Application/Control Number: 09/812,304 Page 6

Art Unit: 2143

routers receive packets for tend to be geographically proximal to the routers. Roaming Internet-Ready devices are rare exceptions. For certain contexts, it is important to know the location of a particular network address. Mapping a particular network address to a geographic location may be termed "geolocation". An exemplary system and methodology by which geographic locations can be derived for a specific network addresses, and for address blocks, are described below. Various methods of obtaining geographic information, combining such geographic information, and inferring a "block" to which a network address corresponds and which shares the same geographic information are described, [0046]).

13. As per claim 18, a system comprising:

means for receiving a plurality of mapping requests from a plurality of network users identified by a plurality of network addresses;

means for deriving a geographic location of a network user associated with a network address based on the plurality of network addresses and the plurality of mapping requests. (most network addresses (e.g., IP addresses) are associated with a particular geographic location. This is because routers that receive packets for a particular set of machines are fixed in location and have a fixed set of network addresses for which they receive packets. The machines that routers receive packets for tend to be geographically proximal to the routers. Roaming Internet-Ready devices are rare exceptions. For certain contexts, it is important to know the location of a particular network address. Mapping a particular network address to a geographic location may be termed "geolocation". An exemplary system and methodology by which geographic locations can be derived for a specific network addresses, and for address blocks, are described below. Various methods of obtaining geographic information, combining such geographic information, and inferring a "block" to which a network address corresponds and which shares the same geographic information are described, [0046]).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mitra Kianersi whose telephone number is (703) 305-4650. The examiner can normally be reached on 7:00AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley can be reached on (703) 308-5221. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Mitra Kianersi 08/02/2004

DAVID WILEY
SUPERVISOBY PATENT EXAMINER
TECHNOLOGY CENTER 2100